

### TECHNICAL CHARACTERISTICS

- > Dimensions: 6225 mm wide x 2646mm high x 2834 mm deep
- > Structure: galvanised steel tubes 80 x 80 mm
- > Roof: steel cross-members 60 x 40 mm and two aluminium rainwater gutters, painted in our colours, 10 mm anti-UV treated cellular polycarbonate barrel roof. Anti-intrusion roof reinforcements.
- > Back and side cladding: rectangular wire mesh Ø 5 mm welded to a steel angle frame, galvanised or galvanised and painted finish
- > Single door: upper part in Ø 5 mm square wire mesh, lower part in 1.5 mm thick sheet metal. Unlocking by European lock/key or mechanical digicode. Opening the doors from the interior without keys. Doors are held open and closed with a gas strut



Code 529096 + 207310 + 201057

### INSTALLATION

- > Delivered flat packed, for self-assembly
- > On base plates, 200 x 200 mm height adjustable feet, expansion bolts included


### OPTION

- > LED lighting: LED mounted on an aluminum tube, factory fitted. Power supply 220V, connection to be made by a professional (circuit breaker not supplied)





Code 529095D

### DRAWING



### PRODUCT CODES

	Galva mesh	Painted mesh
Basic shelter with sides and door unlocking by European lock/key	529095	529096
Basic shelter with sides and door unlocking by digicode	529095D	529096D
<b>Optional</b>		
Optional LED lighting	509041	



### FINISH PAINTED

- > Structure: painted on galva in our RAL colours
- > Mesh : galva or painted

